

ONE DESIGN—THREE WAYS TO GO GREEN

Movement is energy. Every step, pedal and stride we take is generating the potential to power a movement. At SportsArt, we move to ignite a connection between creating healthy bodies and a healthy environment. Because when we move, we change the world—one workout at a time.

Status Cardio Line offers three unique ways to make your facility more green.



Recycle human energy into usable electricity with ECO-POWR™



Reduce energy consumption while engaging users with SENZA™ touchscreen technology



Refuse to use electricity with ECO-NATURAL™ self-powered machines





The ECO-POWR™ line of premium cardio equipment integrates innovative technology with thoughtfully designed products that harness and convert human energy into usable electricity.

Recycle calories burned and provide users a greater meaning to breaking a sweat by giving back to the environment, one workout at a time.





The SENZA™ line features
SportsArt's top of the line cardio
equipment, designed to house the
premium SENZA™ technology and
entertainment system. The intuitive
console actively engages users by
providing a streamlined approach
to workouts while allowing them to
consume entertainment, their way.

Reduce your carbon footprint while increasing user engagement with SportsArt's SENZA™ line; featuring integrated touchscreens and motors which consume 32% less energy.



ANYCAST // Stream Apple, Android or Windows devices directly to the large SENZA™ screen through a simple screen mirroring function, allowing users to watch videos or interact with their favorite apps.

TV/INTERNET // Our high-resolution screen delivers crystal clear television viewing and internet browsing with a variety of customization options to fit your facility's changing needs.



SENZA™ JOURNEY // Our 13 virtual workouts allow users to explore various sceneries while the Dynamic Speed Optimization increases user engagement by speeding up or slowing down the video to match the user's pace.

and accommodate their time constraints.

PROGRAMS // SENZA™ comes equipped with a

full library of workout programs that contribute to

your users fitness goals, enhance their lifestyle

5 // SENZA™ LINE



The ECO-NATURAL™ line boasts energy saving fitness equipment that offers individuals a sustainable and intuitive workout experience embodied within a sleek and modern design.

Refuse to use energy and elevate your space with cordless* and versatile fitness equipment that can be easily arranged and maneuvered to fit any layout.

ENERGY INDEPENDENT

ELECTRONIC SPEED, RESISTANCE
AND MOTION CONTROLS

SLEEK AND MODERN DESIGN

(SA) ECO-POWR™

AN INNOVATIVE TECHNOLOGY THAT HARNESSES UP TO 74% OF HUMAN ENERGY AND CONVERTS IT INTO UTILITY GRADE ELECTRICITY.

Simply plug a single ECO-POWR™ product, or daisy-chain up to 6 units, into a standard outlet, workout and reduce your carbon footprint while lowering power consumption.



- » Create a new metric to track workouts based on watt production
- » Provide a sense of meaningfulness to working out by giving back to the environment
- » Lower facility energy consumption
- » Attract and engage sustainably minded members



THE SOFTWARE ECOSYSTEM THAT SEAMLESSLY ENHANCES THE BENEFITS OF ECO-POWR™ PRODUCTS.

SA WELL+™ includes energy production tracking, a leaderboard, asset management and a user app to track individual workouts and lifetime watts produced.





Home screen display provides real-time data on energy generated and environmental impact.



Leaderboard display visualizes the top energy producers in a competitive fashion.



Asset Management Portal accumulates usages stats and device error code on equipment.



User app tracks a user's traditional workout stats and energy generated data in real time.

VERDE NON-MOTORIZED TREADMILLS

THESE SLEEKLY DESIGNED VERDE TREADMILLS COMBINE NON-MOTORIZED TECHNOLOGY, EXTREMELY LOW FRICTION BELTS AND A SMART BRAKING SYSTEM TO PROVIDE APPROACHABLE, SAFE AND VERSATILE UNITS THAT CATER TO A BROAD SPECTRUM OF USERS.



FLAT SLAT BELT

Provides an approachable, non-motorized experience that requires little to no learning curve for new users.



SMART BRAKING SYSTEM

Creates a safe start belt lock when beginning a workout and allows users to control their speed or resistance as they would on a traditional treadmill.



ON-THE-FLY MODE CHANGE

Mix up the workout intensity with the ability to quickly switch between run and push modes for an effective HIIT experience.









G690 ECO-POWR™ VERDE TREADMILL

- Generate up to 200 watt-hours
- ECO-POWR™ integrated micro-inverter
- Sled-push mode
- Low, fixed degree incline
- Generous 21 x 58 inch (53.3 x 147.3 cm) running surface
- Standard contact and wireless heart rate sensors
- Console and toggle controls for speed and resistance
- USB Port for device charging
- 3-speed fan
- Headphone jack with built-in volume control
- LCD console
- SA WELL+[™] compatible







N685 ECO-NATURAL™ VERDE TREADMILL

- Self-powered, cordless design
- Sled-push mode
- · Low, fixed degree incline
- Generous 21 x 58 inch (53.3 x 147.3 cm) running surface
- Standard contact and wireless heart rate sensors
- Console and toggle controls for speed and resistance
- Headphone jack with built-in volume controls
- LCD console
- SA WELL+™ compatible







VERDE NON-MOTORIZED TREADMILLS // 12

MOTORIZED TREADMILLS

SUSTAINABLY FOCUSED, MOTORIZED TREADMILLS THAT OFFER REMARKABLY NATURAL RUNNING SURFACES AND PREMIUM FEATURES TO EXCEED USERS' EXPECTATIONS.



REDUCED ENERGY CONSUMPTION

The motorized treadmills utilize an ECO-DRIVE™ motor that uses 32% less energy than other traditional motors.



AUTOMATIC MAINTENANCE

ECO-Glide™ Auto Lubrication System gradually releases lubricant during use, reducing belt friction and the need for regular maintenance.



SHOCK ABSORPTION

MyFlex[™] Plus deck cushioning system provides a natural running feel while its 4-way cushioning offers 30% more shock absorption.



QUICK ADJUSTMENTS

Toggle controls allow quick and easy speed and incline adjustments mid-workout.











T656-19 SENZA™ TREADMILL

- 19 inch SENZA™ Touchscreen
- 13 SENZA™ Journey workouts
- ECO-DRIVE[™] energy efficient motor
- ECO-Glide[™] Auto Lubrication System
- 0.1–15.0 mph speed range
- -3 to 15% incline range
- Generous 22 x 62 inch (55 x 157 cm) running surface
- Standard contact and wireless heart rate sensors
- Console and toggle controls for speed and incline
- USB Port for device charging
- CSAFE port
- 3-speed fan
- 3-ply anti-static carbon-weave belt
- SA WELL+™ compatible







T656 ECO-NATURAL™ TREADMILL

- ECO-DRIVE[™] energy efficient motor
- ECO-Glide[™] Auto Lubrication System
- 0.1–15.0 mph speed range
- -3 to 15% incline range
- Generous 22 x 62 inch (55 x 157 cm) running surface
- Standard contact and wireless heart rate sensors
- Console and toggle controls for speed and incline.
- USB Port for device charging
- CSAFE port
- 3-speed fan
- 3-ply anti-static carbon-weave belt
- LCD console
- SA WELL+ $^{\text{\tiny TM}}$ compatible









VERSO CROSS TRAINERS

THE ELEGANTLY DESIGNED 3-IN-1 CROSS TRAINERS THAT OFFER A CUSTOMIZABLE, APPROACHABLE AND ENGAGING EXPERIENCE. VERSO COMBINES ELLIPTICAL, STEPPER AND CYCLE MOVEMENTS INTO ONE MACHINE WITH INTUITIVE CONTROLS.



3 TRAINING MODES

Save space by offering the functionality of an elliptical, stepper and cycle in a single machine.



ON-THE-FLY MODE CHANGE

Add variety to workouts by easily switching between training modes with the touch of a button.



ELECTRONICALLY SET MOTION PATHS

Low learning curve with electronically controlled motion paths that are customizable to fit any stride preference.







G886 ECO-POWR™ VERSO CROSS TRAINER

- Generate up to 250 watt-hours
- ECO-POWR[™] integrated micro-inverter
- 15–31 inch elliptical stride length
- 4.75–10 inch elliptical stride height
- 6–10 inch stepper height
- 8.5–14.5 inch cycle diameter
- Fingertip, console and toggle controls
- 40 levels of resistance
- 3-speed fan
- Standard contact and wireless heart rate sensors
- LCD console
- SA WELL+[™] compatible



V886-16 SENZA™ VERSO CROSS TRAINER

- 16 inch SENZA[™] Touchscreen
- 13 SENZA™ Journey workouts
- 15–31 inch elliptical stride length
- 4.75–10 inch elliptical stride height
- 6–10 inch stepper height
- 8.5–14.5 inch cycle diameter
- Fingertip, console and toggle controls
- 40 levels of resistance
- 3-speed fan
- Standard contact and wireless heart rate sensors
- SA WELL+[™] compatible



V886 ECO-NATURAL™ VERSO CROSS TRAINER

- Self-powered, cordless design
- 15–31 inch elliptical stride length
- 4.75–10 inch elliptical stride height
- 6–10 inch stepper height
- 8.5–14.5 inch cycle diameter
- Fingertip, console and toggle controls
- 40 levels of resistance
- Standard contact and wireless heart rate sensors
- LCD console
- SA WELL+[™] compatible



15 // VERSO CROSS TRAINERS

ELLIPTICALS

BIOMECHANICALLY FOCUSED ELLIPTICALS EMBODY SEAMLESS CUSTOMIZATION WITH A SUPREMELY NATURAL STRIDE TO OFFER USERS A LOW IMPACT, HIGHLY-EFFICIENT AND PERSONALIZED EXPERIENCE.



LOW IMPACT

The MyFlex™ Plus cushioning system provides a comfortable workout platform that absorbs shock for a smooth low-impact workout.



NATURAL STRIDE PATTERN

Researchers at the Madonna Institute established that SportsArt Ellipticals offer the industry's most natural gait pattern.




ON-THE-FLY CHANGES

Electronically adjustable stride length and resistance levels through console, toggle and fingertip controls.









G876 ECO-POWR™ ELLIPTICAL

- Generate up to 250 watt-hours
- ECO-POWR™ integrated micro-inverter
- Industry leading 17–29 inch electronically adjustable stride length
- MyFlex[™] pedal cushioning
- 40 levels of resistance
- Fingertip, console, and toggle controls for easy adjustments
- Standard contact and wireless heart rate sensors
- LCD console
- SA WELL+™ compatible



E876-16 SENZA™ ELLIPTICAL

- 16 inch SENZA™ Touchscreen
- 13 SENZA™ Journey workouts
- Industry leading 17–29 inch electronically adjustable stride length
- MyFlex[™] pedal cushioning
- 40 levels of resistance
- Fingertip, console, and toggle controls for easy adjustments
- Standard contact and wireless heart rate sensors
- SA WELL+™ compatible



E876 ECO-NATURAL™ ELLIPTICAL

- Self-powered, cordless design
- Industry leading 17–29 inch electronically adjustable stride length
- MyFlex[™] pedal cushioning
- 40 levels of resistance
- Fingertip, console, and toggle controls for easy adjustments
- Standard contact and wireless heart rate sensors
- LCD console
- SA WELL+[™] compatible



UPRIGHT CYCLES

MOTIVATE USERS WITH EASILY ACCESSIBLE AND ADJUSTABLE UPRIGHT CYCLES THAT FEATURE INTUITIVE CONTROLS AND EASY ADJUSTMENT POINTS FOR A COMFORTABLE AND EFFICIENT WORKOUT.



OPTIMAL POSITIONING

The multi-point seat adjustments provide unparalleled comfort by customizing to each user's specific needs.



SAFETY FIRST DESIGN

Unique low profile shrouds allow easy and safe access and departure from workouts.




TOGGLE CONTROLS

Adjust workout resistance with intuitive toggle controls.



OVERSIZED FOOT PEDALS

Offers quick strap adjustments and a comfortable base.





G576U ECO-POWR™ UPRIGHT CYCLE

- Generate up to 250 watt-hours
- ECO-POWR™ integrated micro-inverter
- 40 levels of workout resistance
- Standard contact and wireless heart rate sensors
- Fingertip, console, and toggle controls for easy adjustment
- Vertical and horizontal seat adjustment
- · Low profile shroud
- 3-speed fan
- LCD console
- SA WELL+[™] compatible



C576U-16 SENZA™ UPRIGHT CYCLE

- 16 inch SENZA[™] Touchscreen
- 13 SENZA™ Journey workouts
- 40 levels of resistance
- Standard contact and wireless heart rate sensors
- Fingertip, console, and toggle controls for easy adjustment
- Vertical and horizontal seat adjustment
- · Low profile shroud
- 3-speed fan
- SA WELL+™ compatible



C576U ECO-NATURAL™ UPRIGHT CYCLE

- Self-powered, cordless design
- 40 levels of resistance
- Standard contact and wireless heart rate sensors
- Fingertip, console, and toggle controls for easy adjustment
- Vertical and horizontal seat adjustment
- · Low profile shroud
- LCD console
- SA WELL+[™] compatible



19 // UPRIGHT CYCLES // 20

RECUMBENT CYCLES

THOUGHTFULLY DESIGNED RECUMBENT CYCLES WITH PREMIUM EASE-OF-USE FEATURES CREATING AN ENGAGING WORKOUT GEARED TOWARDS INDIVIDUALS PURSUING AN ACTIVE LIFESTYLE.



COMFORTDRI™

Vented and padded seat back allows airflow throughout the workout while its molded design provides ultimate support.



STEP-THROUGH DESIGN

A unique step-through design allows safe and easy access to and from the workout.



WIDE SEAT

The workout base offers a wide, cushioned seat for optimal comfort throughout the entirety of the workout.



TOGGLE CONTROLS

Fingertip and toggle controls provide simple and intuitive ways to adjust workout resistance levels.









G576R ECO-POWR™ RECUMBENT CYCLE

- Generate up to 250 watt-hours
- ECO-POWR™ integrated micro-inverter
- 40 levels of resistance
- Standard contact and wireless heart rate sensors
- Fingertip, console, and toggle controls for easy adjustment
- Horizontal seat and backrest adjustments
- Step-through design
- 3-speed fan
- LCD console
- SA WELL+[™] compatible



C576R-16 SENZA™ RECUMBENT CYCLE

- 16 inch SENZA™ Touchscreen
- 13 SENZA™ Journey workouts
- 40 levels of resistance
- Standard contact and wireless heart rate sensors
- Fingertip, console, and toggle controls for easy adjustment
- Horizontal seat and backrest adjustments
- Step-through design
- 3-speed fan
- SA WELL+[™] compatible



C576R ECO-NATURAL™ RECUMBENT CYCLE

- Self-powered, cordless design
- 40 levels of resistance
- Standard contact and wireless heart rate sensors
- Fingertip, console, and toggle controls for easy adjustment
- Horizontal seat and backrest adjustments
- Step-through design
- LCD console
- SA WELL+[™] compatible



21 // RECUMBENT CYCLES // 22

ECO-POWR™ INDOOR CYCLE

THE G510 ECO-POWR™ INDOOR CYCLE UTILIZES ELECTROMAGNETIC RESISTANCE TO OFFER A SMOOTH EXPERIENCE WHILE ALSO PROVIDING AN EFFECTIVE HIGH-INTENSITY WORKOUT. THE BUILT-IN MICRO-INVERTER TURNS USERS' HARD WORK INTO UTILITY GRADE ELECTRICITY, ALLOWING THE HUMAN ENERGY BEING PRODUCED TO BE INSTANTLY FED BACK INTO THE FACILITY'S GRID AS USABLE POWER.



HARNESS HUMAN ENERGY

The built-in ECO-POWR™ micro-inverter efficiently converts up to 74% of cyclists exerted power into utility grade electricity.



ELECTROMAGNETIC RESISTANCE

The electromagnet provides a smooth riding experience and enables electronic resistance adjustments for more accurate control.



NATURAL RIDE FEEL

A 44-pound flywheel creates a natural momentum that closely mimics a real cycling experience.







G510 ECO-POWR™ INDOOR CYCLE

- Generate up to 250 watt-hours
- ECO-POWR[™] integrated micro-inverter
- Daisy chain up to 6 units
- Electronic resistance
- LCD console displays key metrics
- USB port for device charging
- Heart rate monitor transmitter belt
- Adjustable fore/aft seat
- Adjustable fore/aft handle adjustment
- Safety stop lever
- Multi-position handlebars
- SA WELL+[™] compatible



TURN YOUR CYCLING STUDIO INTO A HUMAN POWER PLANT

Join the growing number of operators around the world that are creating sustainable fitness studios by combining the energy producing ECO-POWR $^{\text{\tiny{M}}}$ indoor cycles with SA WELL+ $^{\text{\tiny{M}}}$ technology. Add a layer of attraction for sustainably minded individuals, engage them with new metrics and provide an extra layer of motivation by breaking a sweat for a greener planet.



OFFSET ENERGY CONSUMPTION

Each cycle can produce up to 250 watts per hour-long class, offsetting facility energy consumption.



WORKOUT TRACKING

The SA WELL+™ app allows users to track their individual workout statistics, including watts generated, over time.



COMPETE

A leaderboard screen shows users how their energy generation compares to others in the class.



VISUALIZE ENVIRONMENTAL IMPACT

The home screen displays the cumulative watt production along with the group's total environmental impact.





VERDE NON-MOTORIZED TREADMILLS

Product	Unit Weight Dimensions (LxWxH)		Running Area (LxW)	Speed Range	Incline Range	Drive Motor	Resistance Levels	Step Up Height	Max User Weight
G690 ECO-POWR™	567.6 lbs 258 kg	84.1 x 35.6 x 65.2 in 213.6 x 90.5 x 165.5 cm	58 x 21 in 147.3 x 53.3 cm	2.0-10.0 mph 3.0-16 kph	Fixed Incline	N/A	6	12 in 30.5 cm	330 lbs 150 kg
N685 ECO-NATURAL™	567.6 lbs 258 kg	84.1 x 35.6 x 65.2 in 213.6 x 90.5 x 165.5 cm	58 x 21 in 147.3 x 53.3 cm	2.0-10.0 mph 3.5-16 kph	Fixed Incline	N/A	6	12 in 30.5 cm	330 lbs 150 kg

MOTORIZED TREADMILLS

Product	Unit Weight Dimensions (LxWxH)		Running Area (LxW)	Speed Range	Incline Range	Drive Motor	Resistance Levels	Step Up Height	Max User Weight
T656 ECO-NATURAL™	453.2 lbs 206 kg	84.9 x 35.6 x 59.3 in 215.6 x 90.5 x 150.6 cm	62 x 22 in 157.5 x 55.9 cm	0.1–15.0 mph 0.2–24.0 kph	-3 to 15%	5.0 AC Servo	N/A	10.6 in 27 cm	500 lbs 227.3 kg
T656-19 SENZA™	453.2 lbs 206 kg	84.9 x 35.6 x 59.3 in 215.6 x 90.5 x 150.6 cm	62 x 22 in 157.5 x 55.9 cm	0.1–15.0 mph 0.2–24.0 kph	-3 to 15%	5.0 AC Servo	N/A	10.6 in 27 cm	500 lbs 227.3 kg

VERSO CROSS TRAINERS

Product	Unit Weight	Dimensions (LxWxH)	Resistance Levels	Elliptical Stride Length	Elliptical Stride Height	Cycle Diameter	Stepper Stride Height	Step Up Height Elliptical	Step Up Height Cycle	Step Up Height Stepper	Max User Weight
G886	598.4 lbs	103 x 37 x 70 in	40	15–31 in	4.75–10 in	8.5–14.5 in	6–10 in	9 in	9.8 in	6.5 in	500 lbs
ECO-POWR™	272 kg	261.5 x 94 x 178 cm		38.1–78.7 cm	12–25.4 cm	21.5–37 cm	15.5–25.5 cm	23 cm	25 cm	16.5 cm	227.3 kg
V886-16	607.2 lbs	103 x 37 x 70 in	40	15–31 in	4.75–10 in	8.5–14.5 in	6–10 in	9 in	9.8 in	6.5 in	500 lbs
SENZA™	276 kg	261.5 x 94 x 178 cm		38.1–78.7 cm	12–25.4 cm	21.5–37 cm	15.5–25.5 cm	23 cm	25 cm	16.5 cm	227.3 kg
V886	607.2 lbs	103 x 37 x 70 in	40	15–31 in	4.75–10 in	8.5–14.5 in	6–10 in	9 in	9.8 in	6.5 in	500 lbs
ECO-NATURAL™	276 kg	261.5 x 94 x 178 cm		38.1–78.7 cm	12–25.4 cm	21.5–37 cm	15.5–25.5 cm	23 cm	25 cm	16.5 cm	227.3 kg

ELLIPTICALS

Product	Unit Weight	Dimensions (LxWxH)	Resistance Levels	Stride Length	Step Up Height	Max User Weight
G876 ECO-POWR™	407 lbs / 185 kg	87.5 x 26.4 x 69 in / 222.2 x 67 x 175.6 cm	40	17-29 in / 43.2-73.7 cm	12.7 in / 32.3 cm	500 lbs / 227.3 kg
E876-16 SENZA™	409.2 lbs / 186 kg	87.5 x 26.4 x 69 in / 222.2 x 67 x 175.6 cm	40	17–29 in / 43.2–73.7 cm	12.7 in / 32.3 cm	500 lbs / 227.3 kg
E876 ECO-NATURAL™	407 lbs / 185 kg	87.5 x 26.4 x 69 in / 222.2 x 67 x 175.6 cm	40	17–29 in / 43.2–73.7 cm	12.7 in / 32.3 cm	500 lbs / 227.3 kg

UPRIGHT CYCLES

Product	Unit Weight	Dimensions (LxWxH)	Resistance Levels	Max User Weight	
G576U ECO-POWR™	213.4 lbs / 97 kg	49.6 x 26.9 x 58.7 in / 126 x 68.5 x 149.1 cm	40	500 lbs / 227.3 kg	
C576U-16 SENZA™	222.2 lbs / 101 kg	49.6 x 26.9 x 58.7 in / 126 x 68.5 x 149.1 cm	40	500 lbs / 227.3 kg	
C576U ECO-NATURAL™	222.2 lbs / 101 kg	49.6 x 26.9 x 58.7 in / 126 x 68.5 x 149.1 cm	40	500 lbs / 227.3 kg	

RECUMBENT CYCLES

Product	Unit Weight	Dimensions (LxWxH)	Resistance Levels	Max User Weight
G576R ECO-POWR™	261.8 lbs / 119 kg	69 x 26 x 54.8 in / 175.2 x 66 x 139.2 cm	40	500 lbs / 227.3 kg
C576R-16 SENZA™	275 lbs / 125 kg	69 x 26 x 54.8 in / 175.2 x 66 x 139.2 cm	40	500 lbs / 227.3 kg
C576R ECO-NATURAL™	275 lbs / 125 kg	69 x 26 x 54.8 in / 175.2 x 66 x 139.2 cm	40	500 lbs / 227.3 kg


INDOOR CYCLE

Product	Unit Weight	Dimensions (LxWxH)	Flywheel Weight	Max User Weight
G510 ECO-POWR™	140.8 lbs / 64 kg	44.5 x 25.6 x 53.5 in / 113 x 65 x 136 cm	44 lbs / 20 kg	330 lbs / 150 kg

COLOR CUSTOMIZATION ***

THE STATUS CARDIO ECO-NATURAL™ AND SENZA™ LINES COME STANDARD WITH COPPER SIDE PANELS BUT EACH PRODUCT, WITHIN THESE TWO PRODUCT LINES, CAN BE TAILORED TO FIT YOUR FACILITY'S COLOR NEEDS WITH THE FOLLOWING FIVE COLOR OPTIONS.

*Speak with your sales representative for cost and lead time information



BLUE PANTONE 287C



CHARCOAL PANTONE 433C



RED PANTONE 185C



SILVER PANTONE 877C



YELLOW PANTONE 123C







25 // SPECIFICATIONS

GOSPORTSART.COM

AMERICAS

8217 44th AVE W Suite A

Mukilteo, WA 98275

T: 800-709-1400 | F: 425-488-8155 | E: info@gosportsart.com

CHINA

Room 903, Xinyu Business Building

90 Guangqumennei Street

Dongcheng District, Beijing

T: +86 10 67115725 / +86 10 87103421 | F: +86 10 87108421 | E: info@sportsart.com.cn

EUROPE, MIDDLE EAST AND AFRICA

Strada Cantonale 42

CH - 6534 San Vittore

Switzerland

T: +41 91 8273908 | F: +41 91 8273910 | E: g.gervasoni@gosportsart.ch

GERMANY

Mörnerstraße 15

09629 Neukirchen

Germany

T: +49 37324 828110 | F: +49 37324 828115 | E: info@gosportsart.de

TAIWAN

#11, Gong Huan Road

Tainan City, 70955 Taiwan

T: +886 6-3840888 | F: +886 6-3840998 | E: info@sportsart.com.tw

UNITED KINGDOM

The Stables

44 Brook Street

Shepshed

Loughborough

LE12 9RG

T: +44 1509 274440 | E: ukinfo@gosportsart.com

THIS CATALOG IS PRINTED ON PAPER FROM SUSTAINABLE, RESPONSIBLE SOURCES

Sports/An